

Updated

3.22.18



Current Blank Inventory

Putters / Approach

| Model | Plastic/Flex | 173 - MAX | 170 - 172 |
|---------------|-------------------|-----------|-----------|
| Wizard | Stupid Soft (SSS) | 1208 | 266 |
| | SSS SWR | 243 | 27 |
| | Super Soft (SS) | 2873 | 289 |
| | SS SWR | 360 | |
| | Soft (S) | 1352 | 52 |
| | SSSS | 1589 | 342 |
| | RFF | 601 | 240 |
| | Organic | 3018 | 102 |
| | Eraser | 950 | 282 |
| | S - Glow | 708 | 199 |
| | Training | | |
| | Platinum | 412 | 13 |
| | Diamond | 181 | 61 |
| | Diamond Glow | 749 | 13 |
| | \$ Money | 608 | 129 |
| | Pure White | 344 | 59 |
| | Chalky | 48 | 16 |
| Puffy | 121 | | |

| | | | |
|---------------|--------------------|-------------------|------------|
| | Lunar | | 33 |
| | Special Blend | 149 | |
| | Special Blend 18 | | |
| | Special Blend 16 | | 37 |
| | Special Blend 22 | 51 | |
| | Special Blend 23 | | |
| | Special Blend 17 | 48 | |
| | Special Blend 30 | 151 | 25 |
| | Light Weight(<145) | | |
| Voodoo | Stupid Soft (SSS) | 342 | 58 |
| | Super Soft (SS) | 413 | 103 |
| | Soft (S) | 356 | 181 |
| | Medium | | |
| | SSSS | 331 | 69 |
| | RFF | | |
| | Organic | 914 | 166 |
| | Eraser | 185 | |
| | S - Glow | 98 | |
| | Platinum | | |
| | Diamond | 394 | |
| | Light Weight(<145) | | |
| | | Stupid Soft (SSS) | 884 |

| | | | |
|----------------|--------------------|------------|------------|
| Magic | Super Soft (SS) | 934 | 167 |
| | Soft (S) | 792 | 24 |
| | SSSS | 537 | 77 |
| | Organic | 709 | 42 |
| | Eraser | 369 | 315 |
| | S - Glow | | |
| | Platinum | 48 | 17 |
| | Diamond | 103 | |
| | Special Blend 30 | 77 | |
| | Light Weight(<145) | | |
| Warlock | Stupid Soft (SSS) | 853 | 353 |
| | Super Soft (SS) | 537 | 84 |
| | Soft (S) | 218 | 116 |
| | Organic | 163 | |
| | Eraser | 340 | 35 |
| | S - Glow | 132 | 42 |
| | Platinum | 94 | 23 |
| | Lunar | | |
| Shaman | Soft (S) | 253 | |
| | Organic | | |
| | S - Glow | | |
| Chief | Soft (S) | 50 | |

| | | | |
|-----------------|-----------------|-----------|--|
| Chief | Platinum | | |
| Chief OS | Soft (S) | 13 | |
| | Platinum | | |

| Mid-Range | | | |
|-------------------|---------------------|------------------|------------------|
| Model | Plastic/Flex | 173 - MAX | 170 - 172 |
| Blaze | Soft (S) | | |
| | Platinum | | |
| | Diamond | 39 | 22 |
| Demon | Soft (S) | 222 | 56 |
| | Platinum | 81 | |
| | Diamond | 96 | 3 |
| Devil Hawk | Soft (S) | 183 | 14 |
| | Super Soft (SS) | | |
| Element | Soft (S) | 201 | |
| | Light Weight(<145) | | |
| | Platinum | 17 | |
| | Diamond | 337 | 33 |
| | S - Glow | 53 | |
| Karma | Soft (S) | 97 | |
| | Platinum | 46 | |
| | Diamond | | |

| | | | |
|------------------|------------------|------------|-----------|
| Mystic | Soft (S) | 122 | |
| | Platinum | 51 | |
| | Platinum (I-Dye) | | |
| | Diamond | 231 | 52 |
| Prophecy | Soft (S) | 121 | 46 |
| | S-Glow | | |
| | Platinum | | |
| | Diamond | 58 | |
| | Diamond Glow | | |
| Scout | Soft (S) | | |
| | Platinum | | |
| | Diamond | | |
| Warrior | Soft (S) | | |
| | Platinum | 369 | |
| | Diamond | | |
| War Spear | Soft (S) | 588 | 17 |
| | Super Soft (SS) | | |

| Drivers | | | |
|----------------|---------------------|------------------|------------------|
| Model | Plastic/Flex | 173 - MAX | 170 - 172 |
| Apache | Sure Grip | | |
| | Platinum | | |

| | | | |
|-----------------|------------------|------------|------------|
| | Diamond | 158 | 76 |
| Assassin | Sure Grip | | 10 |
| | Platinum | | |
| | Platinum (I-Dye) | | |
| | Diamond | 273 | |
| | Overmold | | |
| Diablo | Sure Grip | | |
| | Diamond | 384 | 167 |
| Hybrid | Sure Grip | | |
| | Platinum | 39 | |
| | Diamond | | |
| Illusion | Sure Grip | | |
| | Platinum | | |
| Journey | Platinum | 421 | |
| | Diamond | 258 | 88 |
| Ninja | Sure Grip | 73 | 31 |
| | Platinum | 12 | 80 |
| | Diamond | 279 | 5 |
| Sabre | Sure Grip | | |
| | Platinum | | |
| | Diamond | 368 | 117 |
| | Platinum | 131 | |

| | | | |
|--------------------|------------------|------------|----------|
| Samurai | Platinum (I-Dye) | 50 | |
| | Diamond | | |
| Siren | Platinum | 287 | 9 |
| | Diamond | | |
| Slayer | Platinum | | |
| | Diamond | | |
| Speed Demon | Platinum | | |
| | Diamond | 257 | |
| Spirit | Platinum | | |
| | Diamond | 355 | |

| Catch Discs / Mini Markers | | | |
|-----------------------------------|------------------|------------|--|
| Dog Sport | Sure Grip | 446 | |
| | S - Glow | | |
| | Platinum | | |
| Big Dog | Sure Grip | 566 | |
| | Platinum | | |
| Lil Wizard | Sure Grip | 408 | |
| | S SWR | 352 | |
| | Platinum (I-Dye) | | |
| | Platinum | 268 | |
| Small Mini | Sure Grip | 774 | |

| | | | |
|-------------------|-----------|-----|--|
| Large Mini | Sure Grip | 568 | |
|-------------------|-----------|-----|--|

10855 Metro Ct, Maryland Heights

Descript

160 - 169

145 - 159

175

Pretty flexible in both the

Blend of different colors of SSS pla

12

Slightly taunt in the rim and p

Blend of different colors of SS plas

45

Firm rim with a slight flex

40

Super Stupid Silly Soft - Maximum fl

Really Freakin' Flexible - more grip tha

Made with recycled rubber - S/

48

Grippy eraser-like s

53

Longest lasting glow on the market

Training weight designed

Blend of TPU and TPE - solid in

33

Made with high grade TPU - clear/c

28

High grade TPU with Strontium for lon

66

Shiny surface due to flexible elas

Flatter/Lower profile due to talc-fille

Mineral streaks create a chalky surf

Thicker/less dense rim desig

| | | |
|-----|----|---|
| 24 | | Mix of White SS and textured black |
| | | The result of sample materials comparison |
| | | The result of sample materials comparison |
| | | The result of sample materials comparison |
| | | The result of sample materials comparison |
| | | The result of sample materials comparison |
| 62 | | The result of sample materials comparison |
| | | The result of sample materials comparison |
| | | Easy to Throw |
| 64 | | Pretty flexible in both the |
| 108 | | Slightly taunt in the rim and p |
| 28 | 20 | Firm rim with a slight flex |
| | | Firm rim with very slight flex |
| 15 | | Super Stupid Silly Soft - Maximum flex |
| | | Really Freakin' Flexible - more grip than |
| | | Made with recycled rubber - S/S |
| | | Grippy eraser-like surface |
| | | Longest lasting glow on the market |
| | | Blend of TPU and TPE - solid in |
| | | Made with high grade TPU - clear/c |
| | | Easy to Throw |
| 13 | | Pretty flexible in both the |

| | | |
|----|-----|--------------------------------------|
| 14 | | Slightly taunt in the rim and p |
| 16 | 324 | Firm rim with a slight fle> |
| | | Super Stupid Silly Soft - Maximum fl |
| | | Made with recycled rubber - S/: |
| | | Grippy eraser-like s |
| | | Longest lasting glow on the market |
| 13 | | Blend of TPU and TPE - solid in |
| | | Made with high grade TPU - clear/c |
| | | The result of sample materials cor |
| | | Easy to Throw |
| 66 | | Pretty flexible in both the |
| 34 | | Slightly taunt in the rim and p |
| 26 | 6 | Firm rim with a slight fle> |
| | | Made with recycled rubber - S/: |
| 28 | | Grippy eraser-like s |
| 20 | | Longest lasting glow on the market |
| | | Blend of TPU and TPE - solid in |
| | | Mix of White SS and textured blac |
| | | Firm rim with a slight fle> |
| | | Made with recycled rubber - S/: |
| | | Longest lasting glow on the market |
| | 12 | Firm rim with a slight fle> |

| | | |
|----|--|---------------------------------|
| | | Blend of TPU and TPE - solid in |
| 18 | | Firm rim with a slight fle> |
| | | Blend of TPU and TPE - solid in |

| | | Descripti |
|-----------|-----------|------------------------------------|
| 160 - 169 | 145 - 159 | |
| | | Firm rim with a slight fle> |
| | | Blend of TPU and TPE - solid in |
| | 3 | Made with high grade TPU - clear/c |
| | | Firm rim with a slight fle> |
| | | Blend of TPU and TPE - solid in |
| | | Made with high grade TPU - clear/c |
| | | Firm rim with a slight fle> |
| | | Slightly taunt in the rim and p |
| | 556 | Firm rim with a slight fle> |
| | 38 | Easy to Throw |
| | | Blend of TPU and TPE - solid in |
| 15 | | Made with high grade TPU - clear/c |
| | | Longest lasting glow on the market |
| | 8 | Firm rim with a slight fle> |
| | | Blend of TPU and TPE - solid in |
| | | Made with high grade TPU - clear/c |

| | | |
|-----|----|---------------------------------------|
| | 17 | Firm rim with a slight flex |
| | | Blend of TPU and TPE - solid in |
| | | Blend of TPU and TPE - Tie Dye |
| 12 | | Made with high grade TPU - clear/c |
| 117 | | Firm rim with a slight flex |
| | | Longest lasting glow on the market |
| | | Blend of TPU and TPE - solid in |
| 9 | | Made with high grade TPU - clear/c |
| | | High grade TPU with Strontium for lon |
| | | Firm rim with a slight flex |
| | | Blend of TPU and TPE - solid in |
| | | Made with high grade TPU - clear/c |
| | 30 | Firm rim with a slight flex |
| | | Blend of TPU and TPE - solid in |
| | | Made with high grade TPU - clear/c |
| | | Firm rim with a slight flex |
| | | Slightly taunt in the rim and p |

| | | Descripti |
|-----------|-----------|---------------------------------|
| 160 - 169 | 145 - 159 | |
| | | Firm rim with a slight flex |
| | | Blend of TPU and TPE - solid in |

| | | |
|-----|-----|--------------------------------------|
| 6 | | Made with high grade TPU - clear/c |
| 126 | | Firm rim with a slight fle> |
| 67 | | Blend of TPU and TPE - solid in |
| | | Blend of TPU and TPE - Tie L |
| | | Made with high grade TPU - clear/c |
| | | Platinum center with Diamond rim des |
| 70 | 186 | Firm rim with a slight fle> |
| 90 | | Made with high grade TPU - clear/c |
| | | Firm rim with a slight fle> |
| | | Blend of TPU and TPE - solid in |
| | | Made with high grade TPU - clear/c |
| | | Firm rim with a slight fle> |
| | | Blend of TPU and TPE - solid in |
| | | Blend of TPU and TPE - solid in |
| 25 | | Made with high grade TPU - clear/c |
| 28 | | Firm rim with a slight fle> |
| 65 | | Blend of TPU and TPE - solid in |
| 9 | | Made with high grade TPU - clear/c |
| | | Firm rim with a slight fle> |
| 85 | | Blend of TPU and TPE - solid in |
| 34 | | Made with high grade TPU - clear/c |
| | | Blend of TPU and TPE - solid in |

| | | |
|--|--|------------------------------------|
| | | Blend of TPU and TPE - Tie L |
| | | Made with high grade TPU - clear/c |
| | | Blend of TPU and TPE - solid in |
| | | Made with high grade TPU - clear/c |
| | | Blend of TPU and TPE - solid in |
| | | Made with high grade TPU - clear/c |
| | | Blend of TPU and TPE - solid in |
| | | Made with high grade TPU - clear/c |
| | | Blend of TPU and TPE - solid in |
| | | Made with high grade TPU - clear/c |

| | | Descripti |
|--|--|--------------------------------------|
| | | Firm rim with a slight fle> |
| | | Longest lasting glow on the market |
| | | Blend of TPU and TPE - solid in |
| | | Firm rim with a slight fle> |
| | | Blend of TPU and TPE - solid in |
| | | Firm rim with a slight fle> |
| | | Blend of different colors of SSS pla |
| | | Blend of TPU and TPE - Tie L |
| | | Blend of TPU and TPE - solid in |
| | | |



| | | | |
|----------------------------------|-------------------------|------------------|------------------|
| , MO. 63043 | Ph. 314-487-5204 | | |
| ion | Order | | |
| | 173 - MAX | 170 - 172 | 160 - 169 |
| rim and flight plate | | | |
| stic allows for a swirly finish | | | |
| liable in the flight plate | | | |
| stic allows for a swirly finish | | | |
| k in the flight plate | | | |
| ex while still holding its shape | | | |
| an SSS, flexible in cold weather | | | |
| SS with a chalky surface | | | |
| urface - S/SS | | | |
| made with Strontium - S/SS | | | |
| for practice putting | | | |
| i color, slightly overstable | | | |
| opaque, most overstable line | | | |
| gest lasting glow on the market | | | |
| tomer - SS to SSSS in flex | | | |
| d PP - grippy with a firm rim | | | |
| ace that does not fade - S/SS | | | |
| igned to increase glide | | | |

| | | | |
|----------------------------------|--|--|--|
| k rubber - SS to SSS in flex | | | |
| mbined with existing blends | | | |
| mbined with existing blends | | | |
| mbined with existing blends | | | |
| mbined with existing blends | | | |
| mbined with existing blends | | | |
| mbined with existing blends | | | |
| mbined with existing blends | | | |
| - S/SS | | | |
| rim and flight plate | | | |
| liable in the flight plate | | | |
| κ in the flight plate | | | |
| ex in the flight plate | | | |
| ex while still holding its shape | | | |
| an SSS, flexible in cold weather | | | |
| SS with a chalky surface | | | |
| urface - S/SS | | | |
| made with Strontium - S/SS | | | |
| l color, slightly overstable | | | |
| opaque, most overstable line | | | |
| - S/SS | | | |
| rim and flight plate | | | |

| | | | |
|----------------------------------|--|--|--|
| liable in the flight plate | | | |
| < in the flight plate | | | |
| ex while still holding its shape | | | |
| SS with a chalky surface | | | |
| urface - S/SS | | | |
| made with Strontium - S/SS | | | |
| l color, slightly overstable | | | |
| opaque, most overstable line | | | |
| mbined with existing blends | | | |
| - S/SS | | | |
| rim and flight plate | | | |
| liable in the flight plate | | | |
| < in the flight plate | | | |
| SS with a chalky surface | | | |
| urface - S/SS | | | |
| made with Strontium - S/SS | | | |
| l color, slightly overstable | | | |
| k rubber - SS to SSS in flex | | | |
| < in the flight plate | | | |
| SS with a chalky surface | | | |
| made with Strontium - S/SS | | | |
| < in the flight plate | | | |

| | | | |
|----------------------------|--|--|--|
| color, slightly overstable | | | |
| < in the flight plate | | | |
| color, slightly overstable | | | |

| on | Order | | |
|------------------------------|-----------|-----------|-----------|
| | 173 - MAX | 170 - 172 | 160 - 169 |
| < in the flight plate | | | |
| color, slightly overstable | | | |
| opaque, most overstable line | | | |
| < in the flight plate | | | |
| color, slightly overstable | | | |
| opaque, most overstable line | | | |
| < in the flight plate | | | |
| liable in the flight plate | | | |
| < in the flight plate | | | |
| - S/SS | | | |
| color, slightly overstable | | | |
| opaque, most overstable line | | | |
| made with Strontium - S/SS | | | |
| < in the flight plate | | | |
| color, slightly overstable | | | |
| opaque, most overstable line | | | |

| | | | |
|---------------------------------|--|--|--|
| < in the flight plate | | | |
| color, slightly overstable | | | |
| o)ye, slightly overstable | | | |
| o)paque, most overstable line | | | |
| < in the flight plate | | | |
| made with Strontium - S/SS | | | |
| color, slightly overstable | | | |
| o)paque, most overstable line | | | |
| gest lasting glow on the market | | | |
| < in the flight plate | | | |
| color, slightly overstable | | | |
| o)paque, most overstable line | | | |
| < in the flight plate | | | |
| color, slightly overstable | | | |
| o)paque, most overstable line | | | |
| < in the flight plate | | | |
| liable in the flight plate | | | |

| on | Order | | |
|----------------------------|-----------|-----------|-----------|
| | 173 - MAX | 170 - 172 | 160 - 169 |
| < in the flight plate | | | |
| color, slightly overstable | | | |

| | | | |
|----------------------------------|--|--|--|
| opaque, most overstable line | | | |
| < in the flight plate | | | |
| color, slightly overstable | | | |
| Dye, slightly overstable | | | |
| opaque, most overstable line | | | |
| signed to increase gyroscopicity | | | |
| < in the flight plate | | | |
| opaque, most overstable line | | | |
| < in the flight plate | | | |
| color, slightly overstable | | | |
| opaque, most overstable line | | | |
| < in the flight plate | | | |
| color, slightly overstable | | | |
| color, slightly overstable | | | |
| opaque, most overstable line | | | |
| < in the flight plate | | | |
| color, slightly overstable | | | |
| opaque, most overstable line | | | |
| < in the flight plate | | | |
| color, slightly overstable | | | |
| opaque, most overstable line | | | |
| color, slightly overstable | | | |

| | | | |
|------------------------------|--|--|--|
| Dye, slightly overstable | | | |
| opaque, most overstable line | | | |
| color, slightly overstable | | | |
| opaque, most overstable line | | | |
| color, slightly overstable | | | |
| opaque, most overstable line | | | |
| color, slightly overstable | | | |
| opaque, most overstable line | | | |
| color, slightly overstable | | | |
| opaque, most overstable line | | | |

| on | Order | | |
|----------------------------------|-------|--|--|
| < in the flight plate | | | |
| made with Strontium - S/SS | | | |
| color, slightly overstable | | | |
| < in the flight plate | | | |
| color, slightly overstable | | | |
| < in the flight plate | | | |
| istic allows for a swirly finish | | | |
| Dye, slightly overstable | | | |
| color, slightly overstable | | | |
| | | | |



| | |
|--|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

| | Notes |
|-----------|-------|
| 145 - 159 | |
| | |
| | |

